BEST AVAILABLE COPY

XP-002291521

AN - 1999-244730 [21]

AP - CN19980113252 19980619

CPY - UNZH-N

DC - D22 P34

FS - CPI;GMPI

IC - A61L27/00 ; C01B25/32

IN - LIU J; PAN S

MC - D09-C01D

PA - (UNZH-N) UNIV ZHONGSHAN OPHTHALMOLOGY CENT ZHONGS

PN - CN1203189 A 19981230 DW199921 C01B25/32 000pp

PR - CN19980113252 19980619

XA - C1999-071551

XIC - A61L-027/00 ; C01B-025/32

XP - N1999-182193

AB - CN1203189 Process for transforming coral into artificial bone of hydroxyphosphorite includes immersing coral in high-concentration phosphorite solution at 1 kg/sq.cm-300 kg/sq.cm pressure and at 190-200 deg.C, reacting for 7-8 hours, washing with distilled water at 100 deg.C until no more organic salt component remains, dewatering, drying at 100 deg.C and subjecting to high-temperature and gas sterilization.

- ADVANTAGE - The process takes place at low- or medium-pressure. The reaction time is reduced. The product dissolves slowly in acidic media and it is of high quality and low cost.

IW - IMPROVE PROCESS CHANGE CORAL HYDROXY APATITE ARTIFICIAL BONE IMMERSE CORAL HIGH CONCENTRATE PHOSPHORITE SOLUTION

IKW - IMPROVE PROCESS CHANGE CORAL HYDROXY APATITE ARTIFICIAL BONE IMMERSE CORAL HIGH CONCENTRATE PHOSPHORITE SOLUTION

INW - LIU J; PAN S

NC - 001

BNSDOCID: <XP

OPD - 1998-06-19

ORD - 1998-12-30

PAW - (UNZH-N) UNIV ZHONGSHAN OPHTHALMOLOGY CENT ZHONGS

TI - Improved process for changing coral into hydroxy-apatite artificial bone - by immersing coral in high-concentration phosphorite solution